

MATERIAL SAFETY DATA SHEET

Product: Aquabar[®]

Effective: 2/2/00
Supercedes: 1/15/99

Page 1 of 2

SECTION I

Manufacturer's Name
Fortifiber Corporation

Emergency Telephone No.
508-222-3500

Address: 55 Starkey Ave., Attleboro, MA 02703

Chemical Name & Synonyms
N/A

Trade Name & Synonyms
Aquabar[®]

Chemical Family
Paper & Asphalt

Formula
N/A

SECTION II - HAZARDOUS INGREDIENTS

In the solid state the material is not considered a hazardous material as defined by 21CFR 1900.1210 (OSHA Hazards Communications Law) paragraph (b) (5) (iv)

SECTION III - PHYSICAL DATA

Boiling Point (°F.)
N/A

Specific Gravity (Water=1)
> 1.0

Vapor Pressure (mmHg.)
N/A

Percent, Volatile by Volume (%)
N/A

Vapor Density (Air=1)
N/A

Evaporation Rate(Butyl Acetate=1)
N/A

Solubility in Water Negligible

Appearance & Odor: Brown to black colored paper having an asphalt odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point >450°F Method Cleveland Cup

Flammable Limits N/A LeL N/A VeL N/A

Extinguishing Media: Water spray, CO₂ fog or foam, Dry Chemical

Special Fire Fighting Procedures: The asphalt saturated paper requires that this product be treated

be whether it originated with Fortifiber Corporation or not. Much of the information contained in this Material Safety Data Sheet originates from suppliers: this information cannot be warranted by Fortifiber Corporation to be correct or appropriate for the recipient's intended use. Recipients are advised to confirm in advance of need that the information is current, applicable and suitable to their circumstances.
